Deduction Charts

DEDUCTION CHARTS

Ordering dimensions versus finished product dimensions. All deductions/additions are based on customer's IM or OM size.

Manual Clutch Roller Shades (Single Shade)

	Tube Plus Fabric	Finished Shade with Brackets
INSIDE MOUNT (IM)		
1 ¹ /4", 1 ¹ /2" and 2" Tube*	Ordered Width – 1 1/2"	Ordered Width – ¹ /8"
2" and 2 ¹ / ₂ " Tube**	Ordered Width – 1 ⁵ /8"	Ordered Width – ¹ /8"
Finished Drop	Ordered Drop	+ 1/8"
Fascia	Ordered Width	— ¹ /8"
OUTSIDE MOUNT (OM)		
1 ¹ /4", 1 ¹ /2" and 2" Tube*	Ordered Width – 1 ³ /8"	Ordered Width
2" and 2 ¹ / ₂ " Tube**	Ordered Width – 1 1/2"	Ordered Width
Finished Drop	Ordered Drop	+ 1/8"
Fascia	Ordered Width	— ¹ /8"

Dual Manual Clutch Roller Shades Standard **Deduction/Addition INSIDE MOUNT (IM)** 21/2" Tube/Fabric Ordered Width - 1 1/2" Finished Width Ordered Width - 1/8" Finished Drop Ordered Drop **OUTSIDE MOUNT (OM)** 2¹/₂" Tube/Fabric Ordered Width - 13/8" **Finished Width** Ordered Width Finished Drop Ordered Drop

Coupled Roller Shades (All)

	Tube Plus Fabric	With Adjuster
INSIDE AND OUTSIDE MOUNT		
1 ¹ /4", 1 ¹ /2" and 2" Tube	Ordered Width – 1 "	Ordered Width – 1 ¹ /4"
2 ¹ /2" Tube	Ordered Width – 1 ¹ /4"	Ordered Width – 1 1/2"

DEDUCTION CHARTS

Ordering dimensions versus finished product dimensions. All deductions/additions are based on customer's IM or OM size.

3" Blockout Manual Clutch Roller Shades (with Fascia and Side Channels)

	Standard Deduction/Addition	Accepted Tolerances
INSIDE MOUNT (IM)		
1 ¹ /8" Tube/Fabric	Ordered Width – 1 1/2"	$\pm 1/16''$
1 ¹ /2" Tube/Fabric	Ordered Width - 1 1/2"	± 1/16"
Side Channel	Ordered Height – 3 3/4"	+ 1/16"
Fascia	Ordered Width – 3/4"	- ¹ /16"
OUTSIDE MOUNT (OM)		
1 ¹ /8" Tube/Fabric	Ordered Width – 1 3/8"	± 1/16"
1 ¹ /2" Tube/Fabric	Ordered Width – 1 3/8"	± 1/16"
Side Channel	Ordered Height – 35/8"	+ 1/16"
Fascia	Ordered Width	- 1/16"

4" Blockout Manual Clutch Roller Shades (with Fascia and Side Channels)

Heavy Duty Bracket Type 5-210	Standard Deduction/Addition	Accepted Tolerances
INSIDE MOUNT (IM)		
2" and 21/2" Tube	Ordered Width – 1 5/8"	± 1/16"
Fabric	Tube Width – 3/4"	$\pm 1/16"$
Side Channel	Ordered Height – 47/8"	+ 1/16"
Fascia	Ordered Width – 3/4"	- ¹ /16"
OUTSIDE MOUNT (OM)		
2" and 21/2" Tube	Ordered Width – 1 1/2"	$\pm 1/16"$
Fabric	Tube Width – 3/4"	$\pm 1/16"$
Side Channel	Ordered Height - 43/4"	+ 1/16"
Fascia	Ordered Width – 5/8"	- ¹ / ₁₆ "

Ordering dimensions versus finished product dimensions. All deductions/additions are based on customer's IM or OM size.

Manual Roller Shade Extruded Pocket				
Pocket Size	Pocket Length	Closure Length	Closure Mount Strip	
INSIDE MOUNT (IM)				
5 ¹ /4"	Ordered Width – ³ /8"	Ordered Width - 1"	Ordered Width – ¹ /8"	
9" (Dual Shade)	Ordered Width – 1/2"	Ordered Width - 1"	Ordered Width – ¹ /8"	
OUTSIDE MOUNT (OM)				
5 ¹ /4"	Ordered Width $- \frac{1}{4}$ "	Ordered Width - 1"	Ordered Width	
9" (Dual Shade)	Ordered Width – ⁵ /8"	Ordered Width – 1"	Ordered Width	

Manual Crank Roller Shades (Single Shade)			
	Tube Plus Fabric	Finished Shade with Brackets	
INSIDE MOUNT (IM)			
1 ¹ /4", 1 ¹ /2" and 2" Tube*	Ordered Width – 1 3/4"	Ordered Width – ¹ /8"	
2" and 2 ¹ / ₂ " Tube**	Ordered Width – 2 ¹ /8"	Ordered Width – ¹ /8"	
Finished Drop	Ordered Drop	+ 1/8"	
Fascia	Ordered Width	— ¹ /8"	
OUTSIDE MOUNT (OM)			
1 ¹ /4", 1 ¹ /2" and 2" Tube*	Ordered Width – 1 ⁵ /8"	Ordered Width	
2" and 2 ¹ /2" Tube**	Ordered Width - 2"	Ordered Width	
Finished Drop	Ordered Drop	+ 1/8"	
Fascia	Ordered Width	— 1/8"	

*Standard clutch **Heavy duty clutch

DEDUCTION CHARTS

Ordering dimensions versus finished product dimensions. All deductions/additions are based on customer's IM or OM size.

4" Blockout Manual Crank Roller Shades (with Fascia and Side Channels)

Heavy Duty Bracket Type 5-210	Standard Deduction/Addition	Accepted Tolerances
INSIDE MOUNT (IM)		
2" and 2 ¹ /2" Tube	Ordered Width $-2^{1/8}$ "	± 1/16"
Fabric	Tube Width – 3/4"	± 1/16"
Side Channel	Ordered Height – 47/8"	+ 1/16"
Fascia	Ordered Width $- 3/4"$	- ¹ / ₁₆ "
OUTSIDE MOUNT (OM)		
2" and 2 ¹ /2" Tube	Ordered Width - 2"	± 1/16"
Fabric	Tube Width – 3/4"	± 1/16"
Side Channel	Ordered Height – 4 3/4"	+ 1/16"
Fascia	Ordered Width – 5/8"	- 1/16"

Motorized Shades (Single Shade)

		Finished	
Motor Model	Tube Plus Fabric	Overall Width	Finished Drop
INSIDE MOUNT (IM)			
ST50 STD & RTS	Ordered Width – 1 7/8"	Ordered Width - 1/8"	Ordered Drop \pm 1/8"
LS40	Ordered Width – 1 ⁵ /8"	Ordered Width – $1/8"$	Ordered Drop \pm ¹ / ₈ "
LT525 STD & RTS	Ordered Width – 1 ⁷ /8"	Ordered Width – $1/8"$	Ordered Drop \pm ¹ / ₈ "
HDC 100S/Q & 200S/Q	Ordered Width – 1 3/4"	Ordered Width – $1/8"$	Ordered Drop \pm ¹ / ₈ "
OUTSIDE MOUNT (OM)			
ST50 STD & RTS	Ordered Width – 1 ³ /4"	Ordered Width	Ordered Drop \pm ¹ / ₈ "
LS40	Ordered Width – 1 ¹ /2"	Ordered Width	Ordered Drop \pm ¹ / ₈ "
LT525 STD & RTS	Ordered Width – $1^{3/4}$ "	Ordered Width	Ordered Drop \pm $^{1/8}"$
HDC 100S/Q & 200S/Q	Ordered Width – 1 ⁵ /8"	Ordered Width	Ordered Drop \pm ¹ / ₈ "

Ordering dimensions versus finished product dimensions. All deductions/additions are based on customer's IM or OM size.

Motorized Shades w			
Motor Model	Tube Plus Fabric	Finished Overall Width	Finished Drop
INSIDE MOUNT (IM)			
ST50 STD & RTS	Ordered Width – 1 7/8"	Ordered Width - 1/8"	Ordered Drop \pm ¹ /8"
LS40	Ordered Width – 1 ⁵ /8"	Ordered Width – 1/8"	Ordered Drop \pm ¹ /8"
LT525 STD & RTS	Ordered Width – 1 7/8"	Ordered Width – 1/8"	Ordered Drop \pm 1/8"
HDC 100S/Q & 200S/Q	Ordered Width – 1 3/4"	Ordered Width – 1/8"	Ordered Drop \pm ¹ /8"
OUTSIDE MOUNT (OM)			
ST50 STD & RTS	Ordered Width – 1 3/4"	Ordered Width	Ordered Drop \pm ¹ /8"
LS40	Ordered Width – 1 ¹ /2"	Ordered Width	Ordered Drop \pm 1/8"
LT525 STD & RTS	Ordered Width – 1 3/4"	Ordered Width	Ordered Drop \pm ¹ /8"
HDC 100S/Q & 200S/Q	Ordered Width – 1 5/8"	Ordered Width	Ordered Drop \pm ¹ /8"

4" Blockout Motorized Roller Shades (with Fascia and Side Channels)				
Motor Models ST50 STD & RTS	Standard Deduction/Addition	Accepted Tolerances		
INSIDE MOUNT (IM)				
2" and 21/2" Tube	Ordered Width – 1 7/8"	\pm 1/16"		
Fabric	Tube Width – 3/4"	± 1/16"		
Side Channel	Ordered Height – 47/8"	+ 1/16"		
Fascia	Ordered Width – 3/4"	- 1/16"		
OUTSIDE MOUNT (OM)				
2" and 21/2" Tube	Ordered Width – 1 3/4"	± 1/16"		
Fabric	Tube Width – 3/4"	± 1/16"		
Side Channel	Ordered Height – 43/4"	+ 1/16"		
Fascia	Ordered Width - 5/8"	- ¹ / ₁₆ "		

DEDUCTION CHARTS

Ordering dimensions versus finished product dimensions. All deductions/additions are based on customer's IM or OM size.

4" Blockout Motorized Roller Shades (with Fascia and Side Channels)			
Motor Models LS40 and LT525 STD & RTS	Standard Deduction/Addition	Accepted Tolerances	
INSIDE MOUNT (IM)			
2" and 21/2" Tube	Ordered Width – 1 ⁷ /8"	± 1/16"	
Fabric	Tube Width – 3/4"	± 1/16"	
Side Channel	Ordered Height – 47/8"	+ 1/16"	
Fascia	Ordered Width – 3/4"	- 1/16"	
OUTSIDE MOUNT (OM)			
2" and 2 ¹ /2" Tube	Ordered Width – 1 3/4"	± 1/16"	
Fabric	Tube Width – 3/4"	± 1/16"	
Side Channel	Ordered Height – 43/4"	+ 1/16"	
Fascia	Ordered Width – 5/8"	- ¹ /16"	

4" Blockout Motorized Roller Shades (with Fascia and Side Channels)				
Motor Models HDC 100S & 100Q and HDC 200S & 200Q	Standard Deduction/Addition	Accepted Tolerances		
INSIDE MOUNT (IM)				
2" and 21/2" Tube	Ordered Width – 1 3/4"	\pm 1/16"		
Fabric	Tube Width – 3/4"	\pm 1/16"		
Side Channel	Ordered Height - 47/8"	+ 1/16"		
Fascia	Ordered Width – 3/4"	- ¹ /16"		
OUTSIDE MOUNT (OM)				
2" and 21/2" Tube	Ordered Width – 1 ⁵ /8"	\pm 1/16"		
Fabric	Tube Width – 3/4"	\pm 1/16"		
Side Channel	Ordered Height – 43/4"	+ 1/16"		
Fascia	Ordered Width – ⁵ /8"	- ¹ /16"		

Ordering dimensions versus finished product dimensions. All deductions/additions are based on customer's IM or OM size.

51/4" Pocket (with Side and Bottom Channels) Standard Deduction/Addition INSIDE MOUNT (IM) Side Channel & Wool Pile Ordered Width – 5³/8" Bottom Channel & Wool Pile Ordered Width – 5"

Side Channel & Wool Pile	Ordered Width $-53/8$ "	+ ¹ /16"
Bottom Channel & Wool Pile	Ordered Width - 5"	+ 1/16"
OUTSIDE MOUNT (OM)		
Side Channel & Wool Pile	Ordered Width $-53/8"$	+ ¹ /16"
Bottom Channel & Wool Pile	Ordered Width – 47/8"	+ 1/16"

Accepted

Tolerances

9" Pocket (with Side and Bottom Char	nnels)	
	Standard Deduction/Addition	Accepted Tolerances
INSIDE MOUNT (IM)		
Side Channel & Wool Pile	Ordered Width – 91/8"	+ 1/16"
Bottom Channel & Wool Pile	Ordered Width – 5"	+ 1/16"
OUTSIDE MOUNT (OM)		
Side Channel & Wool Pile	Ordered Width – 91/8"	+ 1/16"
Bottom Channel & Wool Pile	Ordered Width – 47/8"	+ 1/16"

Motorized Roller Shade Extruded Pocket				
Pocket Size	Pocket Length	Closure Length	Closure Mount Strip	
INSIDE MOUNT (IM)				
5 ¹ /4"	Ordered Width – 3/8"	Ordered Width $- \frac{1}{2}$ "	Ordered Width – 1/8"	
9" (Dual Shade)	Ordered Width – 1/2"	Ordered Width – ⁵ /8"	Ordered Width – 1/8"	
OUTSIDE MOUNT (OM)				
5 ¹ /4"	Ordered Width – 1/4"	Ordered Width – ³ /8"	Ordered Width	
9" (Dual Shade)	Ordered Width – ³ /8"	Ordered Width – 1/2"	Ordered Width	

For additional deduction information related to Coupled Shades, Dual Coupled Shades, and Banded Shades, contact Hunter Douglas Architectural.