

SUBMITTAL SHEET

TAVOLA™ BEAM CANTED

Project Name _____

Specification Section _____

Ceiling Type _____

Return Form To Hunter Douglas

E-mail: ceiling.samples@hunterdouglas.com

Fax: 770.806.0214

**SUBSTRATE:
ALUMINUM**

.025"

.032"

.040"

Other (consult with Hunter Douglas)

BEAM PROFILES

(Width x Height)

2" x 2" to 2" x 6"

2" x 4" to 2" x 6"

2" x 2" to 2" x 4"

* Contact Hunter Douglas for custom lengths and widths.

* Standard lengths: 6'-0", 8'-0", 10'-0" (max)

BEAM SPACING

4"

6"

8"

Other _____

COLOR/FINISH

Cotton White – #0280

Natural – #7163

Other _____

PERFORATION PATTERN

Non-Perforated only

END CAPS

Yes

No

GRAIN DIRECTION

(For Decorated or Veneer End Caps)

Horizontal

Vertical

EXPOSURE

Interior Only

Shop Drawings required on all Tavola™ projects.

To Contact Us:

5015 Oakbrook Parkway, Suite 100

Norcross, GA 30093

phone: 800.366.4327

fax: 770.806.0214

HDarchitectural.com

HunterDouglas 
Architectural

SUBMITTAL SHEET **TAVOLA™ BEAM CANTED**

PHYSICAL DATA

Substrate: Aluminum

Warranty: 1 year

Seismic rating: Zones A,B,C,D,E,F

Fire rating: Class A Fire Rated per ASTM E84

- Painted or anodized metal: Flame spread: ≤ 25 , Smoke ≤ 50

Weight: Varies 0.5 - 2.0 lbs./sq.ft.

Wind load: N/A

Recycled content: Up to 85%

Light reflectance (LR) Coefficient per ASTM E1264 & ASTM E1477:

- Cotton White: LR = 0.81