
# General Illumination - Recessed Into Hunter Douglas Box 4 or Deep Box 4 Ceilings Direct Distribution



**Product Overview** (for complete specifications, see page 2)

**Construction:** Extruded aluminum housing is available in one piece up to 16'. Continuous runs have hairline joints with no light leak. Runs of fixtures can be built to lengths matching field conditions. Recessed into Hunter Douglas Box 4 or Deep Box 4 ceiling system.

**Electrical:** Gammalux products are **UL** and **cUL** listed with quick electrical connectors and LED components by OSRAM SYLVANIA. Dimming driver requires 0-10v control. Runs of fixtures are tested as a complete system prior to shipping. LED components and specifications subject to change without notice.


**Continuous Illumination:** LED boards are oriented to provide the most consistent illumination possible per run length.

**Optical:** Lenses available in standard (**ASL**), medium (**ASLMD**) and heavy diffusion (**ASLHD**) to provide varying degrees of output and reduced visibility of individual LEDs. Gammalux recommends ASLMD or ASLHD lenses because LEDs may be noticeable through standard ASL lens. See images on pages 3 and 4.

Finish/Color: High quality paint finish in high gloss or semi-gloss. Custom colors available.

Packing and Shipping: Our packing, labeling and shipping systems ensure products arrive safely, ready to install.

#### **Standard Nomenclature**



\*Gammalux recomends ASLMD or ASLHD lenses because LEDs may be noticeable through standard ASL lens.



## G-Beam Series GB34BX4-LED



# General Illumination - Recessed Into Hunter Douglas Box 4 or Deep Box 4 Ceilings Direct Distribution

# **Specifications**

#### Construction

**Housing:** Extruded aluminum body 3.00" wide x 3.78" high, 6063T5, 0.070" minimum thickness. Available in one piece, unbroken lengths up to 16'. Runs of fixtures are built to lengths matching exact field conditions, including complex patterns. Factory-engineered drawings indicate the location of each board in continuous runs.

**Joiner System:** Automatic alignment, no loose parts, one tool to tighten two factory installed bolts for hairline seam. No light leaks. Fixtures that are built for continuous runs and patterns are assembled into a complete pattern and tested for fit and finish at the factory prior to being individually packed and shipped.

Mounting: Recessed into a Box 4 (specify REC/BX4) or Deep Box 4 (specify REC/DBX4) ceiling system by Hunter Douglas.

#### **Electrical**

**Driver:** OSRAM SYLVANIA or equal universal voltage (specify **DVR**). Fixtures with **DVR** option are wired for static use only. Dimming driver (specify **DIM**) is 0-10v dimmable constant current. Additional driver options are available (consult factory). RoSH compliant and UL listed wiring and components throughout. Housing wired with quick-connect plugs at all mating joints and individually tested. Fixtures that are built for continuous runs and patterns are assembled into a complete pattern and tested at the factory prior to being individually packed and shipped. All fixtures bear UL & cUL labels. LED components and specifications subject to change without notice.

**LED Boards:** OSRAM SYLVANIA or equal constant current compatible with 0-10v dimming drivers. Distributed array for even illumination, high efficacy, 80 + CRI.

**LED System Lifespan:** Rated for 50,000 hours at 70% lumen output (L70). Life and output based on maximum ambient temperature of 25 degrees C. 5 year limited warranty on LED components.

**Continuous Illumination:** LED boards are oriented to provide the most consistent illumination possible from end to end in each run built per field dimensions. Telescoping modules are not acceptable. Factory-engineered drawings indicate the location of each board in continuous runs.

#### **Optical Performance**

Acrylic Satin Lens: Shall be 15% DR acrylic (specify ASL).

Acrylic Satin Lens, Medium Diffuse: Shall be 15% DR acrylic (specify ASLMD). Acrylic Satin Lens, Heavy Diffuse: Shall be 15% DR acrylic (specify ASLHD).

Performance: See charts for total lumens per foot delivered by each output and lens option.

ESTIMATED LUMENS PER FOOT DELIVERED BY COMBINATION OF LED COLOR AND LENS							
STANDARD OUTPUT LED				HIGH OUTPUT LED			
LENS OPTIONS	3000 K LEDs	3500 K <sup>*</sup> LEDs	4000 K LEDs	LENS OPTIONS	3000 K LEDs	3500 K*LEDs	4000 K LEDs
STANDARD DIFFUSE LENS (ASL)	563.2	574.7	597.7	STANDARD DIFFUSE LENS (ASL)	748.9	764.2	794.7
MEDIUM DIFFUSE LENS (ASLMD)	485.4	495.3	515.1	MEDIUM DIFFUSE LENS (ASLMD)	645.4	658.6	684.9
HEAVY DIFFUSE LENS (ASLHD)	316.1	322.6	335.5	HEAVY DIFFUSE LENS (ASLHD)	420.5	429.1	446.3
To checura LED image. Gammalus recommende calaction of Heavy Diffuse lans as first choice, than Madium Diffuse if additional output is necessary							

To obscure LED image, Gammalux recommends selection of Heavy Diffuse lens as first choice, then Medium Diffuse if additional output is necessary. \* IES files were created using 3500 K boards. Values were then adjusted by a factor of .98 for 3000 K boards and 1.04 for 4000 K boards.

#### **Finish**

Housing assembly is electrostatically sprayed with high solids aliphatic two component polyurethane to an average thickness of 2 mils. over acid etching primer. Matches of Hunter Douglas Natural # 7163 (NAT) and Cotton White # 0280 (COT) are standard. Consult with factory for other finishes.

### **Packing and Shipping**

Fixtures built for continuous rows and patterns are given a specific location identifier, clearly identified on factory layout drawings provided to installing contractor. Location identifier is printed on the fixture's ID Label, protective wrapping and on each end of fixture carton. Shipping pallets are built with 2" clearance, extending beyond the length and width of cartons, providing shipping protection.

Approximate weight of 4' module is 12 lbs. including carton. Weight of shipping pallet and supplemental packing materials not factored in.





General Illumination - Recessed Into Hunter Douglas Box 4 or Deep Box 4 Ceilings **Photometric Reports for** Direct Distribution

# STANDARD OUTPUT FIXTURES

### FIXTURE USES LENS ASL (STANDARD DIFFUSE) AND 3500 K BOARDS.\*

IESNA: LM 79-2008 ISSUE DATE: 04/16/13

TEST: ITL76970 mod to DA 71913 @ 225 mA

TESTLAB: INDEPENDENT TESTING LABORATORIES, INC.

MANUFAC: GAMMALUX LIGHTING SYSTEMS

LUMCAT: GB34D2-SOLED35-4'-ASL

#### **Summary Data**

EFFICACY (Total): 67.4 LPW\*\* EFFICACY (Downlight): CIE CLASSIFICATION: DIRECT LUMINOUS OPENING: RECTANGULAR


Width: 0.24 (Feet) Length: 3.96


Height: 0.00

INPUT WATTS: 34.1









## FIXTURE USES LENS ASLMD (MEDIUM DIFFUSE) AND 3500 K BOARDS.\*

IESNA: LM 79-2008 ISSUE DATE: 04/17/13


TEST: ITL76971 mod to DA 71913 @ 225 mA


TESTLAB: INDEPENDENT TESTING LABORATORIES, INC.

MANUFAC: GAMMALUX LIGHTING SYSTEMS LUMCAT: GB34D2-SOLED35-4'-ASLMD



Acrylic Satin Lens, Medium Diffuse (ASLMD)





#### **Summary Data**

EFFICACY (Total): 58.1 LPW\*\* EFFICACY (Downlight): 58.1 CIE CLASSIFICATION: DIRECT LUMINOUS OPENING: RECTANGULAR

Width: 0.24 (Feet) Length: 3.96

0.00 Height:

INPUT WATTS: 34.1



#### FIXTURE USES LENS ASLHD (HEAVY DIFFUSE) AND 3500 K BOARDS.\*

IESNA: LM 79-2008 ISSUE DATE: 01/23/13

TEST: ITL76972 mod to DA 71913 @ 225 mA

TESTLAB: INDEPENDENT TESTING LABORATORIES, INC.

MANUFAC: GAMMALUX LIGHTING SYSTEMS LUMCAT: GB34RC-SOLED35-4'-ASLHD

#### **Summary Data**

EFFICACY (Total): 37.8 LPW\*\* EFFICACY (Downlight): 37.8 CIE CLASSIFICATION: DIRECT LUMINOUS OPENING:


RECTANGULAR Width: 0.24 (Feet) 3.96 Length:

Height: 0.00 INPUT WATTS:





(ASLHD)



Quadralaterally Symmetric

Solid: 90 Degrees

IES files were created using 3500 K boards. When using calculation programs, multiply lumen output or set correction factor to .98 for 3000 K boards and 1.04 for 4000 K boards. \*\*Efficacy is a measure of lumens per watt, as delivered through the fixture aperture.





<sup>\*</sup> See performance notes, page 2.





General Illumination - Recessed Into Hunter Douglas Box 4 or Deep Box 4 Ceilings Direct Distribution **Photometric Reports for** 

# HIGH OUTPUT FIXTURES

### FIXTURE USES LENS ASL (STANDARD DIFFUSE) AND 3500 K BOARDS.\*

IESNA: LM 79-2008 ISSUE DATE: 04/16/13

TEST: ITL76970 mod to DA 71913 @ 300 mA

TESTLAB: INDEPENDENT TESTING LABORATORIES, INC.

MANUFAC: GAMMALUX LIGHTING SYSTEMS

LUMCAT: GB34D2-HOLED35-4'-ASL

#### **Summary Data**


EFFICACY (Total): 62.6 LPW\*\* EFFICACY (Downlight): 62.6 CIE CLASSIFICATION: DIRECT LUMINOUS OPENING: RECTANGULAR


Width: 0.24 (Feet) Length: 3.96

Height: 0.00 INPUT WATTS: 48.8










## FIXTURE USES LENS ASLMD (MEDIUM DIFFUSE) AND 3500 K BOARDS.\*

IESNA: LM 79-2008 ISSUE DATE: 04/17/13

TEST: ITL76971 mod to DA 71913 @ 300 mA

TESTLAB: INDEPENDENT TESTING LABORATORIES, INC.

MANUFAC: GAMMALUX LIGHTING SYSTEMS LUMCAT: GB34D2-HOLED35-4'-ASLMD



EFFICACY (Total): 53.9 LPW\*\* EFFICACY (Downlight): 53.9 CIE CLASSIFICATION: DIRECT LUMINOUS OPENING: RECTANGULAR


Width: 0.24 (Feet) Length: 3.96


Height: 0.00 INPUT WATTS: 48.8





(ASLMD)





Quadralaterally Symmetric s Solid: 90 Degrees

## FIXTURE USES LENS ASLHD (HEAVY DIFFUSE) AND 3500 K BOARDS.\*

IESNA: LM 79-2008 ISSUE DATE: 04/18/13

TEST: ITL76972 mod to DA 71913 @ 300 mA

TESTLAB: INDEPENDENT TESTING LABORATORIES, INC.

MANUFAC: GAMMALUX LIGHTING SYSTEMS LUMCAT: GB34D2-HOLED35-4'-ASLHD


#### **Summary Data**


EFFICACY (Total): 35.2 LPW\*\* EFFICACY (Downlight): 35.2 CIF CLASSIFICATION: DIRECT LUMINOUS OPENING: RECTANGULAR

Width: 0.24 (Feet) Length: 3.96 Height: 0.00

INPUT WATTS: 48 8







IES files were created using 3500 K boards. When using calculation programs, multiply lumen output or set correction factor to .98 for 3000 K boards and 1.04 for 4000 K boards. \*\*Efficacy is a measure of lumens per watt, as delivered through the fixture aperture.

(ASLHD)





<sup>\*</sup> See performance notes, page 2.


# General Illumination - Recessed Into Hunter Douglas Box 4 or Deep Box 4 Ceilings Direct Distribution

# **Mounting Details**

Factory Drawings: Fully dimensioned factory drawings will be provided upon receipt of purchase order.


#### Box 4 Ceiling:

Specify **BX4** code in catalog #



#### Deep Box 4 Ceiling:

Specify **DBX4** code in catalog #



Mounting bracket is field adjustable to accommodate Box 4 or Deep Box 4 conditions.

Gammalux Lighting Systems reserves the right to change details of fixture design and construction at any time.

