Product Information Guide

Riviera® Commercial

HORIZONTAL ALUMINUM BLINDS

MANUAL & AUTOMATED
CORDLESS BLINDS

HunterDouglas Architectural

October 2026

COLOR CHART

COLOR NAME	1" .008 GAUGE	2" .008 GAUGE
Alabaster	G8-002	M2-002
Antique	G8-973	M2-973
Beige	G8-186	-
Black	G8-048	M2-048
Bright Aluminum	G8-190	M2-190
Brushed Aluminum	G8-034	M2-034
Brushed Aluminum Perforated	G8-034P	-
Brushed Nickel Texture	G8-262	-
Brushed Patina	G8-996	-
Canvas	G8-830	M2-830
Chalk White	G8-885	M2-885
Champagne Mist	G8-995	-
China Blue	G8-637	-
Copperite	G8-915	-
Dark Bronze	G8-994	M2-994
Evening Snow	G8-385	-
Low Gloss Black	G8-892	M2-892
Matte Alabaster	G8-991	-


COLOR NAME	1" .008 GAUGE	2" .008 GAUGE
Matte Mushroom	G8-992	-
Mushroom	G8-365	M2-365
Pearl	G8-974	M2-974
Pebble	G8-999	-
Pewter Gray	G8-405	-
Polar Bear	G8-116	M2-116
Pure White	G8-125	-
Quartz	G8-1392	-
Raw Umber	G8-887	M2-887
Sand	G8-310	M2-310
Smokey Gray	G8-443	-
Snow Gloss	G8-110	-
Squirrel Gray	G8-998	M2-998
Vanilla	G8-148	M2-148
White	G8-990	M2-990
White Cap	G8-113	-

SIZE SPECIFICATIONS

Size Specifications — 1" .008 Gauge	
Slat width	1"
Minimum **width** (NET)	13.125"
Minimum **height**	12"
Maximum **width** of a single blind	120"
Maximum **height**	130"*
Maximum width with two on one headrail	144"

12-1/2" or greater L or R Tilt only
***For blinds over 120" order under Control Style: Bottom Up Partially Operable**

Size Grid - 1" Cordless



Blue: Fully Operable up to 120" drop
Orange: Partially Operable at select sizes up to 130" drop

SIZE SPECIFICATIONS

Size Specifications — 2" .008 Gauge	
Slat width	2"
Minimum **width** (NET)	10-1/2"
Minimum **height**	12"
Maximum **width** of a single blind	120"
Maximum **height**	84"
Maximum width with two on one headrail	144"
10-1/2" - 12-3/8" **Center Tilt only (No Lift)** **12-1/2" or greater L or R Tilt only.** **See size grid on following page.**	

FEATURES & OPTIONS


FEATURES	1" .008 Gauge	2" .008 Gauge
# of Colors	35	16
Slat Gauge	0.008	0.008
Headrail Size	1.375" (W) X 1.375" (H)	2.25" (W) X 1.5" (H)
Headrail Gauge	0.024	0.024
Bottomrail	1-1/2" (W) x 1-1/8" (H)	2" (W) x 1-1/8" (H)
Cord Size	1.4 mm	1.4 mm
Ladder Spacing	22 mm	42 mm
Wand	Clear, Standard	Clear, Standard
OPTIONS	**1" .008 Gauge**	**2" .008 Gauge**
2 on 1 Headrail	✔	✔
Control Positions (L or R)	✔	✔
Box Brackets	✔	✔
Hidden Brackets	✔	
Dust Resistant Finish	✔	✔
Channel Valance	✔	✔
Integrated Valance	✔	
Heavy Duty Headrail		✔
Push Button Bottomrail		✔
Hold-down Brackets	✔	✔
Spacer Blocks*	✔	✔
Tile Cut-Out**		✔

* Used for outside mount blinds only to clear obstructions, such as window moldings.

INTEGRATED VALANCE



HIDDEN BRACKET INSTALLATION







CHANNEL VALANCE



BOX BRACKET INSTALLATION





PRODUCT SPECIFICATIONS

FINISHED DIMENSIONS	1” .008 Gauge	2” .008 Gauge
Inside Mount (IB) Headrail	- 1/2”	- 3/4”
Inside Mount (IB) Slat	- 1/2”	- 1/2”
Outside Mount (OB) Headrail	Ordered Width	- 1/4”
Outside Mount (OB) Slat	Ordered Width	Ordered Width
Blind Height	Ordered Height	Ordered Height

**NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width

MOUNTING REQUIREMENTS	1” .008 Gauge			2” .008 Gauge		
	Inside Mount Minimum Depth	Inside Mount Flush	Outside Mount (Wall Surface)	Inside Mount Minimum Depth	Inside Mount Flush	Outside Mount (Wall Surface)
No Valance						
Hidden Bracket	7/8"	1-3/4"	5/8"	N/A	N/A	N/A
Box Bracket	1"	1-3/4"	1-3/8"	N/A	N/A	N/A
With Valance						
Hidden Bracket	7/8"	2-1/4"	5/8"	N/A	N/A	N/A
Box Bracket	1"	2-1/4"	1-3/8"	1-1/8"	2-7/8"	1-3/4"

STACKING HEIGHTS	1″ .008 Gauge	2″ .008 Gauge
Blind Height Stacks to:		
36"	3-7/8″	5-1/4″
48"	4-1/4″	5-1/2″
60"	4-5/8″	5-3/4″
72"	5″	6″
84″	5-38″	6-1/4″
RETURN LENGTHS	**1″ .008 Gauge**	**2″ .008 Gauge**
Inside Mount	No Returns	No Returns
Outside Mount	1-3/4″	2-7/8″

WAND LENGTHS

1″ Blinds	
Wand Length	**Blind Height**
12"	12" to 22"
20"	22-1/8" to 37"
30"	37-1/8" to 52"
40"	52-1/8" to 67"
50"	67-1/8" to 82"
60"	82-1/8" to 92"
70″	92-1/8 to 107″
78″	107-1/8 to 120″

Optional Length: 90″

2″ Blinds	
Wand Length	**Blind Height**
12"	12" to 24"
20"	24-1/8" to 36"
24"	36-1/8" to 48"
36"	48-1/8" to 60"
48"	60-1/8" to 75"
60"	75-1/8" to 84"

Optional Lengths: 72″ and 84″

LADDER PLACEMENT

1″ Blinds	
Finished Width	**# of Ladders**
Up to 36"	2
36-1/8" to 60"	3
60-1/8" to 84"	4
84-1/8" to 108"	5
108-1/8" to 120"	6

2″ Blinds	
Finished Width	**# of Ladders**
Up to 46-1/2"	2
46-5/8" to 80-1/2"	3
80-5/8" to 114-1/2"	4
114-5/8" to 120"	5

CONTROL LOCATIONS

	Width (Net)	Single Blind	2 on 1 (Left Blind)	2 on 1 (Right Blind)
1″ Metals	13.125″ or greater	L or R		

	Width (Net)	Single Blind	2 on 1 (Left Blind)	2 on 1 (Right Blind)
2″ Metals	10-1/2″ to 12-3/8″	Center Tilt Only	C (Only)	C Only
	12-1/2″ or greater	L or R		