

Product Information Guide

Express Basics

ALTERNATIVE WOOD BLINDS

HunterDouglas 
Architectural

COLOR CHART

Express Basics

| 2" FAUX | | | |
|-------------|-------|---------------|-------|
| Lily | SD053 | Textured Lily | PM054 |
| Gravel | SD046 | Pecan Pie | PM036 |
| Greek Villa | SD130 | Walnut Grove | PM035 |

CHARACTERISTICS OF FAUX WOOD BLINDS

Faux wood blinds are an excellent and economical alternative to wood blinds for many applications and offer a long lasting performance. A durable engineered polymer material is used for all colors.

Faux wood blinds are not intended for installation near heat sources such as radiators, heat registers, and space heaters which can potentially compromise the integrity of the faux wood material. Airflow through the blind is also very important. Keeping slats closed for long periods of time and/ or using additional window treatments in front of or behind blinds can significantly increase the temperature the blinds are exposed to. These high temperatures (above 140°F / 60°C) may cause the slats to warp or twist.

// Express Basics Faux Wood Blinds – 2"

Express Basics 2"

- GREEK VILLA • LILY • PECAN PIE
- GRAVEL • TEXTURED LILY • WALNUT GROVE

| WIDTH TO: | 24" | 30" | 36" | 42" | 48" | 54" | 60" | 66" | 72" | 78" | 84" | 90" | 96" |
|------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| HEIGHT TO: | | | | | | | | | | | | | |
| 30" | X | X | X | X | X | X | X | X | X | X | X | X | X |
| 36" | X | X | X | X | X | X | X | X | X | X | X | X | X |
| 42" | X | X | X | X | X | X | X | X | X | X | X | X | X |
| 48" | X | X | X | X | X | X | X | X | X | X | X | X | X |
| 54" | X | X | X | X | X | X | X | X | X | X | X | X | |
| 60" | X | X | X | X | X | X | X | X | X | X | X | | |
| 66" | X | X | X | X | X | X | X | X | X | X | | | |
| 72" | X | X | X | X | X | X | X | X | X | | | | |
| 78" | X | X | X | X | X | X | X | X | | | | | |
| 84" | X | X | X | X | X | X | X | | | | | | |

PRODUCT SPECIFICATIONS

FEATURES

- Cordless Operation
- Wand Tilt - Left Side Only
- Low Profile PVC Headrail (Steel reinforced over 60" wide)
- LightsOut Routeless Feature


NO CHARGE OPTIONS

- 2-1/2" Crescent Valance
- Hold-Down Brackets (Plastic)
- Center Supports included
- Continuous Valance
- Spacer Blocks (3/8")

BOTTOM RAIL SIZE: 2" X 3/4"



Bottom Rail



End Cap

SIZE SPECIFICATIONS

| | |
|----------------|-----|
| Minimum Width | 18" |
| Maximum Width | 96" |
| Minimum Height | 18" |
| Maximum Height | 84" |

*Blinds are built with a height tolerance, therefore extra slats may rest on the bottom rail.

VALANCE ORDERING


| | |
|----------------|--|
| Outside Mount | 1" Added to valance, measured inside returns |
| Inside Mount | -1/8" (no returns) |
| Max Un-Spliced | 102" |
| Max Spliced | 168" |

NOTE: Valances are cut to measure inside miter to ensure the most accurate fit when installed over the headrail or window frame


STANDARD RETURNS

| | |
|---------------|------|
| Inside Mount | 1/2" |
| Outside Mount | 3" |


2-1/2" CRESCENT VALANCE



Mitered Corner







Corner Cap




Valance Clip

- Height: 2-1/2" Depth: 3/8"
- Standard with blind
- Returns are available with miter cuts that attach with hidden connectors or straight cuts that attach with visible corner caps
- Attaches with hidden, adjustable valance clip



INSTALLATION BRACKETS

| Blind Width | Box Brackets | Support Brackets* |
|---------------|--------------|-------------------|
| Below 30" | 2 | 0 |
| 30" - 48" | 2 | 1 |
| 38-1/8" - 72" | 2 | 2 |
| 72-1/8" - 84" | 2 | 3 |
| 72-1/8" - 84" | 2 | 3 |
| 84-1/8" - 96" | 2 | 4 |



* Support brackets are evenly spaced along length of headrail


FINISHED DIMENSIONS

| | Inside Mount | Outside Mount |
|-------------|--------------|---------------|
| Headrail | -1/2" | -1/2" |
| Blind Width | -1/2" | 0" |
| Valance | -1/8" | +1" |


Do NOT make any deductions from your measurements

PRODUCT SPECIFICATIONS


MOUNTING DEPTH & REQUIREMENTS




Headrail
Protrudes
See "X"
measurement
in chart



Headrail
Flush
See "Y"
measurement
in chart



Valance
Flush
See "Z"
measurement
in chart



| Headrail | | Headrail Projects (X) | Headrail Flush (Y) | Valance Flush (Z) |
|----------|--------|-----------------------|--------------------|-------------------|
| Height | Depth | | | |
| 1-1/2" | 2-3/8" | 3/4" | 2-1/2" | 3-1/2" |

| STACKING CHART | |
|----------------|--------------|
| Blind Height | Stack Height |
| 24" | 3-3/4" |
| 36" | 4-5/8" |
| 42" | 5" |
| 48" | 5-1/4" |
| 54" | 5-3/4" |
| 60" | 6" |
| 66" | 6-1/2" |
| 72" | 6-3/4" |
| 84" | 7-1/2" |

• Height includes headrail

| LADDER PLACEMENT CHART | | |
|------------------------|------------------------------------|-------------------------------------|
| Blind Width (Net) | Number of Ladders | |
| | Gravel, Pecan Pie and Walnut Grove | Lily, Greek Villa and Textured Lily |
| 18" - 24" | 2 | 2 |
| 24-1/8" - 36" | 3 | 3 |
| 36-1/8" - 48" | 4 | 4 |
| 48-1/8" - 54" | 5 | 5 |
| 54-1/8" - 60" | 6 | 5 |
| 60-1/8" - 66" | 5 | 6 |
| 66-1/8" - 72" | 6 | 6 |
| 72-1/8" - 78" | 6 | 7 |
| 78-1/8" - 84" | 8 | 7 |
| 84-1/8" - 96" | 8 | 8 |

NOTE: Since this product has varying ladder spacing between colors, the spacing may differ slightly from color to color.

| WAND SIZING | |
|--|--------------------|
| Blind length less than or equal to 72": | 24" Wand |
| Blind length greater than 72" | 36" Wand |
| If blind width < 36" AND blind length > 72": | 36" Wand (2-piece) |