Product Information Guide

SHADESENSE ALTERNATIVE WOOD BLINDS




PRODUCT SPECIFICATIONS

FEATURES

- Cordless Operation
- · Wand Tilt Left Side Only
- Low Profile PVC Headrail (Steel reinforced over 60" wide)


NO CHARGE OPTIONS

- 2-1/2" Crescent Valance
- Hold-Down Brackets (Plastic)
- · Center Supports included
- · Continuous Valance
- · Spacer Blocks (3/8")





Bottom Rail



End Cap


SIZE SPECIFICATIONS		
Minimum Width	18"	
Maximum Width	96"	
Minimum Height	18"	
Maximum Height	84"	

*Blinds are built with a height tolerance, therefore extra slats may rest on the bottom rail.

VALANCE ORDERING		
Outside Mount	1" Added to valance, measured inside returns	
Inside Mount	-1/8" (no returns)	
Max Un-Spliced	102"	
Max Spliced	168"	

NOTE: Valances are cut to measure inside miter to ensure the most accurate fit when installed over the headrail or window frame

STANDARD RETURNS		
Inside Mount	1/2"	
Outside Mount	3"	



Mitered Corner




Corner Cap



Valance Clip

- Height: 2-1/2" Depth: 3/8"
- · Standard with blind
- Returns are available with miter cuts that attach with hidden connectors or straight cuts that attach with visible corner caps
- · Attaches with hidden, adjustable valance clip




INSTALLATION BRACKETS			
Blind Width	Box Brackets	Support Brackets*	
Below 30"	2	0	
30" - 48"	2	1	
38-1/8" - 72"	2	2	
72-1/8" - 84"	2	3	
72-1/8" - 84"	2	3	
84-1/8" - 96"	2	4	

•	Support	brackets are	evenly s	spaced ald	ong length	of headrail

FINISHED DIMENSIONS			
Inside Mount Outside Mount			
Headrail	-1/2"	-1/2"	
Blind Width	-1/2"	0"	
Valance	-1/8"	+1"	
Do NOT make any deductions from your measurements			

PRODUCT SPECIFICATIONS

MOUNTING DEPTH & REQUIREMENTS



Headrail Protrudes See "X" measurement in chart



Headrail Flush See "Y" measurement in chart



Valance Flush See "Z" measurement in chart



Headrail		Headrail Projects (X)	Headrail Flush (Y)	Valance Flush (Z)
Height	Depth			
1-1/2"	2-3/8"	3/4"	2-1/2"	3-1/2"

STACKING CHART			
Blind Height	Stack Height		
24"	3-3/4"		
36"	4-5/8"		
42"	5"		
48"	5-1/4"		
54"	5-3/4"		
60"	6"		
66"	6-1/2"		
72"	6-3/4"		
84"	7-1/2"		

[·] Height includes headrail

LADDER PLACEMENT CHART			
	Number of Ladders		
Blind Width (Net)	Gravel, Pecan Pie and Walnut Grove	Lily, Greek Villa and Textured Lily	
18" - 24"	2	2	
24-1/8" - 36"	3	3	
36-1/8" - 48"	4	4	
48-1/8" - 54"	5	5	
54-1/8" - 60"	6	5	
60-1/8" - 66"	5	6	
66-1/8" - 72"	6	6	
72-1/8" - 78"	6	7	
78-1/8" - 84"	8	7	
84-1/8" - 96"	8	8	

NOTE: Since this product has varying ladder spacing between colors, the spacing may differ slightly from color to color.

WAND SIZING		
Blind length less than or equal to 72":	24" Wand	
Blind length greater than 72"	36" Wand	
If blind width < 36" AND blind length > 72":	36" Wand (2-piece)	

Cordless Faux Wood Blinds - 2" & 2-1/2"

NO CHARGE OPTIONS

- 3" Modern Valance
- 3" Crescent Valance
- Controls (L or R)
- Hold Down Brackets not available on 2-1/2" cordless lift & lock
- Tile Cut-Out available with cordless lift & lock only
- Spacer Blocks (3/8" & 3/4")
- Extension Brackets (Long & Short)

- Wand Tilt Only
 - Optional Wand Lengths
 - 2 on 1 Headrail available on cordless lift & lock only (price each blind separately)
 - · Side by Side*

*Guaranteed within 1/4" when requested at the time of order.

SIZE SPECIFICATIONS	Cordless XL	Cordless Lift & Lock™
	2	2" & 2 - 1/2" Blinds
Minimum Width - Center Tilt (Tilt only, No lift)	8" - 11-7/8"	N/A
Minimum Width (Net)	12"	10-1/2"
Maximum Width (One Blind)	96"	96"
Minimum Height	12"	12"
Maximum Height	96"	84"
Maximum Width 2 on 1 Headrail	N/A	120"
Maximum Continuous Valance Width (Not Spliced)		102"

Cordless XL	Cordless Lift & Lock™	
49 sq/ft	40 sq/ft	
39 sq/ft	31 sq/ft	

2" Blinds - Max Area / Square Footage 2-1/2" Blinds Max Area / Square Footage

Cordless Faux Wood Blinds - 2"

NO CHARGE OPTIONS

- 3" Modern Valance
- 3" Crescent Valance
- · Controls (L or R)
- Hold Down Brackets not available on 2-1/2" cordless lift & lock
- Tile Cut-Out available with cordless lift & lock only
 Spacer Blocks (3/8" and 3/4")
- Extension Brackets (Long & Short)

- · Wand Tilt Only
- Optional Wand Lengths
- 2 on 1 Headrail available on cordless lift & lock only (price each blind separately)

*Guaranteed within 1/4" when requested at the time of order.

SIZE SPECIFICATIONS	2" Cordless XL	2" Cordless Lift & Lock™	
Minimum Width - Center Tilt (Tilt only, No lift)	8" - 11-7/8"	N/A	
Minimum Width (Net)	12"	10-1/2"	
Maximum Width (One Blind)	96"	96"	
Minimum Height	12"	12"	
Maximum Height	96"	84"	
Max. AREA (SQ/FT)	49 sq/ft	40 sq/ft	
Maximum Width 2 on 1 Headrail	N/A	120"	
Maximum Continuous Valance Width (Not Spliced)		102"	

Cordless Faux Wood Blinds - 2"

NO CHARGE OPTIONS

- Controls (L or R)
- Hold Down Brackets not available on 2-1/2" cordless lift & lock
- Tile Cut-Out available with cordless lift & lock only
 Spacer Blocks (3/8" and 3/4")
- Extension Brackets (Long & Short)

- Wand Tilt Only
 Optional Wand Lengths
 2 on 1 Headrail available on cordless lift & lock only (price each blind separately)
- Side by Side*

*Guaranteed within 1/4" when requested at the time of order.

SIZE SPECIFICATIONS	2" Cordless XL	2" Cordless Lift & Lock™
Minimum Width - Center Tilt (Tilt only, No lift)	8" - 11-7/8"	N/A
Minimum Width (Net)	12"	10-1/2"
Maximum Width (One Blind)	96"	96"
/linimum Height	12"	12"
laximum Height	96"	84"
fax. AREA (SQ/FT)	49 sq/ft	40 sq/ft
laximum Width 2 on 1 Headrail	N/A	120"
laximum Continuous Valance Width (Not Spliced)		102"

INDIVIDUAL VALANCE ORDERING

2"	&	2-1/2"	FAUX	WOOD
		COLOR	NAM	FS

		/	/&	3/	
-			/ m̈́		
Blonde Hickory	PG700	٠			
Blooming Jasmine	S1001	•	٠	٠	•
Campfire Ash	PG509	•	٠	٠	
Canvas	S920	٠	٠	٠	•
Canyon	PG508	•	٠	٠	
Colonial Maple	PG702	•			
Cotton	S1000	•	•	٠	•
Down Home	PG510	•	•	٠	
Early American	PG701	•			
Flannel	S1005	•	•	٠	•
Gathered Gray	S921	•	•	٠	
Gray Ashwood	PG703	•			
Gray Owl	S1003	•	•	•	•
Heathered	PG500	•	•	•	
Old Linen	S904	•	•	•	
Pearl	S903	•	•	•	•
Sierra Spruce	PG704	•			
Silhouette	S1002	•	•	•	•
Slate	PG501	•	•	•	
Snow	S901	•	•	•	•
Soft Whisper	S1004	•	•	•	•
Special Walnut	PG705	•			
Sterling Gray	PG502	•	•	٠	
Textured Cotton	T1000	•	•	٠	•
Textured Gray Owl	T1003	•	٠	٠	•
Textured Pearl	T903	•	•	٠	•
Textured Pure White	T901				
(Snow)	1901	L <u> </u>		Ĺ	
Textured Soft Whisper	T1004	•	•	٠	•
Ultra White	S951	•	•	•	•
Wrought Iron	S922	•	•	٠	

[•] NOTE: When ordering Textured Cotton, Textured Gray Owl, Textured Pearl, Textured Pure White or Textured Soft Whisper all valances will be smooth.



4-1/2" Modern Valance

- Available in 10 colors
- Outside Mount only, mitered corners and returns
- Utilizes our magnetic valance clip
- Valance projects 1/2" to 5/8" above the headrail when installed
- Keystone not available
- Valance will be notched if ordered with a Cordless XL 2-1/2" blind



3" Standard Decorative




3" Crescent



3" Modern

Standard Decorative - 3" Profile Crescent Valance - 3" Profile (optional) Modern Valance - 3" Profile (Optional) Modern Valance - 4-1/2" (Optional)



VALANCE AND VALANCE RETURN INFORMATION AND SPECIFICATIONS

VALANCE ORDERING

Outside Mount Inside Mount Max Un-Spliced Max Spliced

Notes:

1" Added to valance, measured inside returns

-1/8" (no returns)

102"

168"* (Min 2 Splices)

Valances are cut to measure inside miter to ensure the most accurate fit when installed over the headrail or window frame.

RETURN LENGTHS

		3" Valance Standard Decorative · 4-1/2" Modern Valan Crescent · Modern		lern Valance	
Inside Moun	Inside Mount Blind Minimum Max		Maximum	Minimum	Maximum
Cordless XI	2" Faux	1/2"	6"	3/4"	6"
Cordiess XL	2-1/2" Faux*	3/4"	6"	3/4"	6"
Cordless	2" Faux	1/2"	6"	3/4"	6"
Lift & Lock™	2-1/2" Faux	1/2"	6"	3/4"	6"

		3" Valance Standard Decorative • Crescent • Modern		4-1/2" Modern	Valance
Outside Mount Blind		Standard (Min. Recommended)	Maximum	Standard (Min. Recommended)	Maximum
Cordless XL	2" Faux	3"	6"	3-1/4"	6"
	2-1/2" Faux*	3-5/8"	6"	3-5/81	6"
Cordless	2" Faux	3"	6"	3-1/4"	6"
Lift & Lock™	2-1/2" Faux	3-3/8"	6"	3-5/8"	6"

^{*}All valance profiles will be notched for better clearance. Please refer to Cordless XL Control Charts for an example of how valance is notched.

ADJUSTED RETURN LENGTHS WITH SPACER BLOCKS & EXTENSION BRACKETS

 3/8" Spacer Blocks (Small)
 3-3/8"

 3/4" Spacer Blocks (Large)
 3-3/4"


 3-7/8" Extension Brackets (Short)
 4-1/4"

 5-7/8" Extension Brackets (Long)
 6-1/4"

notes:

• *3" Return Lengths are factory adjusted when extension brackets or (1 set of) spacer blocks are ordered.

CUSTOM VALANCE RETURNS & RETURNS - MEASURED & CUT FROM THE INSIDE:



KEYSTONE VALANCE OPTION

Keystones

Designed to cover splices in oversized valances. Use as a decorative look over any blind.

Valances under 102"

A color matched Keystone may be ordered with a valance. The valance will come assembled with the Keystone position in the center of valance.

Valances over 102"

A color matched Keystone will be included at no charge. Will require assembly.

Notes

The addition of a keystone will not affect the overall width of the valance.

The color of the keystone will match valance.





Order	Configuration	How Valance Will Be Produced
	IB	1" Wider than ordered size
RETURN LENGTH OVERRIDE	ОВ	1" Wider than ordered size (no change from standard)
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact
	IB	Valance will be exact size of continuous valance measurement
CONTINUOUS	ОВ	Inside return to return valance will be exact ordered width
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact
	IB	1 " Wider than ordered size
CONTINUOUS with RETURN LENGTH OVERRIDE	ОВ	Inside return to return valance will be exact ordered width
o vermibe	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact

^{• 4-1/2&}quot; Modern Valance cannot be installed inside the window frame. Returns must be selected for all inside mount blinds

[·] All valance profiles utilize magnetic valance clips. The magnetic valance clips have a projection adjustment feature. By pulling the clips outward, they can provide an additional 1/4" projection.

PRODUCT SPECIFICATIONS

FEATURES	2"	2-1/2"
# of Colors	30	13
Headrail Size	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"
Headrail Gauge	.024	.024
Bracket Style	Box	Box
Bottomrail - Cordless XL	Trapezoid	Trapezoid
Bottomrail - Cordless Lift & Lock™	Vinyl	Vinyl
Ladder Space	44 mm	54 mm
Wand Tilt	Yes	Yes
Standard Decorative Valance	Yes - 3"	Yes - 3"
Crescent Valance (Optional)	Yes - 3"	Yes - 3"
Modern Valance (Optional)	Yes - 3"	Yes - 3"
Modern Valanace (Optional)	Yes - 4-1/2"	Yes - 4-1/2"
Valance Return Lengths (standard for outside mounts)	3"	3-3/8"
Adjustable Valance Attachment System	Yes	Yes
Headrail End Stiffener	Yes	Yes
Warranty (Tilt motor systems are warranted for 5 years)	Limited Lifetime	Limited Lifetime
Flame Resistant - NFPA #701 (2" & 2-1/2" Whites/ Neutrals & 2" Premium Grains I)	Yes	Yes

OPTIONS AND UPGRADES	2"	2-1/2"
Cordless XL	Yes	Yes
Cordless Lift & Lock™	Yes	Yes
* 2 On 1 Headrail	Ver	Ver
not available with Cordless XL	Yes	Yes
Crescent Valance Option	Yes	Yes
Modern Valance Option	Yes	Yes
Keystone Valance Option	Yes	Yes
CONTROL/MOUNTING OPTIONS	2"	2-1/2"
Wand – Alternative Lengths (single blind)	Yes	Yes
Tilt Control Position – Cordless XL	L or R	L or R
	Under 12" net - center tilt only	Under 12" net - center tilt only
Tilt Control Position – Cordless Lift & Lock™ (single blind)	L or R	L or R
Tile Cut-out(s)	Yes	Yes
- not available with Cordlesss or Cordless Lift & Lock™	165	165
Spacer Blocks (3/8" and 3/4" Depths)	Yes	3/8" Standard
Extension Brackets (Short & Long)	Yes	Yes
Hold-down Brackets	Yes	Yes
- not available with 2-1/2" Cordless Lift & Lock	165	165

2 on 1 Lift & Lock™ with Wand Tilt	Width (NET)	LEFT BLIND	Right Blind
		WAND TILT	WAND TILT
	10-1/2" to 12-3/8"	C (only)	C (only)
	12-1/2" or more	L or R	L or R

FOOTNOTES (FEATURES & SPECIFICATIONS)

 * There will be a 1/2" maximum light gap between multiple blinds on 1 headrail.

SIZE SPECIFICATIONS

Cordless XL	2"	2-1/2"	
	8" - 1	8" - 11-7/8"	
Minimum Width (Net)	(Tilt Only No Lift)		
	12"		
Maximum Width (One blind)	96"		
Minimum Height	12"		
Maximum Height	96"		
Maximum AREA (SQ/FT)	49 sq/ft	39 sq/ft	
Maximum Width 2 on 1 Headrail	N/A		
Maximum Continuous Valance Width (not spliced)	102"		

CORDLESS LIFT & LOCK™	2"	2-1/2"
Minimum Width (Net)	10-1/2"	
Maximum Width (One blind)	96"	
Minimum Height	12"	
Maximum Height	84"	
Maximum AREA (SQ/FT)	40 sq/ft 31 sq/ft	
Maximum Width 2 on 1 Headrail	120"	
Maximum Continuous Valance Width (not spliced)	10	2"

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

Inside (IB) Mount	
Headrail width ¹	- 3/4"
Blind width	– 1/2 "
Blind height	ordered height
Valance	– 1/8"
Outside (OB) Mount	
Headrail width ¹	– 1/4 "
Blind width	ordered width
Blind height	ordered height
Valance	+ 1"
2 on 1 Headrail	
Gap between panels	Approx. 1/4" – 1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth: 2"	1-1/8"
Minimum mounting depth: 2-1/2"	1-1/4"
Minimum mounting depth, flush mount - 2" Slat:	3-1/2"
Minimum mounting depth, flush mount - 2-1/2" Slat:	3-3/4"
Outside (OB) Mount	
Minimum flat vertical surface:	1-3/4"

FOOTNOTE

 $1 \ \ \, \text{The headrail width has a 1/4" deduction on outside mounts and 3/4" deduction on inside mounts to accommodate the installation brackets.}$

CONTROL CHARTS - CORDLESS XL

TILT WAND

· Plastic tilt wand is color - coordinated with slats

2" & 2-1/2" Faux							
Wand Length Blind Height							
12"	12" to 24"						
20"	24 1/8" to 36"						
24"	36 1/8" to 48"						
36"	48 1/8" to 72"						
48"	72 1/8" to 96"						


No additional wand sizes available.



BOTTOMRAIL

• 2" Trapezoid bottom rails are standard on faux blinds with Cordless XL

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).



LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" Faux								
Blind Width	# of Ladders	# of Routes						
8" to 22"	2	2						
22-1/8" to 34"	3	*2						
34-1/8" to 40"	4	*2						
40-1/8" to 46"	4	4						
46-1/8" to 58"	5	4						
58-1/8" to 70"	6	*4						
70-1/8" to 82"	7	*4						
82-1/8" to 96"	8	4						

The chart shows the end routes and the tilter route position based on the NET width of the headrail. The tilter route is from the end of the headrail.

Blind Width	End Routes	Tilter Route
8" to 11-7/8"	2-1/2"	Centered
12" to 13-7/8"	2-1/2"	1-1/4"
14" to 16"	3"	1-1/4"
16-1/8" to 20"	4-1/2"	1-1/2"
21-1/8" to 96"	5"	1-1/2"

2-1/2" Faux							
Blind Width	# of Ladders	# of Routes					
8" to 22"	2	2					
22-1/8" to 34"	3	*2					
34-1/8" to 40"	4	*2					
40-1/8" to 46"	4	4					
46-1/8" to 58"	5	4					
58-1/8" to 70"	6	*4					
70-1/8" to 82"	7	*4					
82-1/8" to 96"	8	4					

Blind Width	End Routes	Tilter Route
8" to 11-7/8"	2-1/2"	Centered
12" to 13-7/8"	2-1/2"	1-1/4"
14" to 16"	3"	1-1/4"
16-1/8" to 20"	4-1/2"	1-1/2"
20-1/8" to 96"	5"	1-1/2"

tilter route is from the end of the headrail

*For the ranges between 30.125" and 40", add the same quantity of lift cords as ladders when the drop is 70" or greater.

STACK-UP-CHART (APPROXIMATE)


The charts below show the stacking height of the slats when the blind is

2" Faux								
Blind Height	Stack Height							
48"	5"							
72"	7-1/2"							
84"	9-1/4"							
96"	10-7/8"							

PLUS	+ 2-1/2"

2-1/2" Faux									
Blind Height	Stack Height								
48"	4"								
72"	6-1/4"								
84"	7-1/2"								
96"	9"								
, , , , , , , , , , , , , , , , , , ,									

PLUS	+ 2-1/2"
LUU	T 2-1/2



																		_
SQUARE FOOTAGE SPECIFICATIONS																		
2" FAUX																		
WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78	84	90	96	WIDTH TO:	24	28	
HEIGHT TO:															HEIGHT TO:			
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20	30	5	6	Ĺ
36	6	7	8	9	11	12	14	15	17	18	20	21	23	24	36	6	7	Ĺ
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28	42	7	8	Ĺ
48	8	9	11	12	14	16	18	20	22	24	26	28	30	32	48	8	9	Ĺ
54	9	11	12	14	16	18	20	23	25	27	29	32	34	36	54	9	11	Ĺ
61	10	12	14	15	18	20	23	25	28	31	33	36	38	41	61	10	12	
66	11	13	15	17	19	22	25	28	30	33	36	39	41	44	66	11	13	
73	12	14	16	18	21	24	27	30	33	37	40	43	46	49	73	12	14	Ĺ
78	13	15	17	20	23	26	29	33	36	39	42	46	49	N/A	78	13	15	Ĺ
84	14	16	19	21	25	28	32	35	39	42	46	49	N/A	N/A	84	14	16	
90	15	18	20	23	26	30	34	38	41	45	49	N/A	N/A	N/A	90	15	18	Ĺ
96	16	19	21	24	28	32	36	40	44	48	N/A	N/A	N/A	N/A	96	16	19	Ĺ
	Max Square Footage 49																	

Max Square Footage 49

	2-1/2" FAUX													
WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78	84	90	96
HEIGHT TO:														•
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20
36	6	7	8	9	11	12	14	15	17	18	20	21	23	24
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28
48	8	9	11	12	14	16	18	20	22	24	26	28	30	32
54	9	11	12	14	16	18	20	23	25	27	29	32	34	36
61	10	12	14	15	18	20	23	25	28	31	33	36	38	N/A
66	11	13	15	17	19	22	25	28	30	33	36	39	N/A	N/A
73	12	14	16	18	21	24	27	30	33	37	N/A	N/A	N/A	N/A
78	13	15	17	20	23	26	29	33	36	39	N/A	N/A	N/A	N/A
84	14	16	19	21	25	28	32	35	39	N/A	N/A	N/A	N/A	N/A
90	15	18	20	23	26	30	34	38	N/A	N/A	N/A	N/A	N/A	N/A
96	16	19	21	24	28	32	36	N/A						
	Max Square Footage 39													

CONTROL CHARTS - CORDLESS

TILT WAND

- · Tilt wands are color coordinated with slats
- Tilt Length Override (Optional) specify length when ordering



2" & 2-1/2" Faux						
Wand Length	Blnd Length					
12"	12" to 24"					
20"	24-1/8" to 36"					
24"	36-1/8" to 48"					
36"	48-1/8" to 72"					
48"	72-1/8" to 96"					

Color wands up to 48" long. Clear wands 60", 72", or 84" available upon request. Please specify optional lengths when ordering.

LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" Faux								
# of Routes	# of Ladders	# of Routes						
18" to 24"	2	2						
24-1/8" to 36"	3	2						
36-1/8" to 48"	4	4						
48-1/8" to 60"	5	4						
60-1/8" to 72"	6	4						
72-1/8" to 78"	7	4						

*Routes are positioned approximately 6" from the end of the slat for all blinds

BOTTOMRAIL

· 2" Trapezoid bottomrails are standard on faux wood blinds with cordless lift

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).



STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised. Add in HR+BR for total.

2" Faux						
Blind Height	Stack Height					
48"	5"					
72"	7-1/2"					
	I.					

PLUS	+ 2-1/2"	
------	----------	--

2-1/2" Faux					
Blind Height	Stack Height				
48"	4"				
72"	6-1/4"				

PLUS + 2-1/2"

SQUARE FOOTAGE SPECIFICATIONS

TO:

2" FAUX

WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78
HEIGHT TO:											
30	5	6	7	8	9	10	11	13	14	15	16
36	6	7	8	9	11	12	14	15	17	18	20
42	7	8	9	11	12	14	16	18	19	21	23
48	8	9	11	12	14	16	18	20	22	24	26
54	9	11	12	14	16	18	20	23	25	27	29
61	10	12	14	15	18	20	23	25	28	31	33
66	11	13	15	17	19	22	25	28	30	33	36
73	12	14	16	18	21	24	27	30	33	37	40

Max Square Footage 40

2-1/2" FAUX

то:	24	28	32	36	42	48	54	60	66	72	78
HEIGHT TO:											
30	5	6	7	8	9	10	11	13	14	15	16
36	6	7	8	9	11	12	14	15	17	18	20
42	7	8	9	11	12	14	16	18	19	21	23
48	8	9	11	12	14	16	18	20	22	24	26
54	9	11	12	14	16	18	20	23	25	27	29
61	10	12	14	15	18	20	23	25	28	31	33
66	11	13	15	17	19	22	25	28	30	33	36
73	12	14	16	18	21	24	27	30	33	N/A	N/A

Max Square Footage 36

CONTROL CHARTS - CORDLESS LIFT & LOCK SYSTEM

TILT WAND

- Tilt wands are color-coordinated with slats
- Tilt Length Override (Optional) specify length when ordering



Color wands up to 48" long. Clear wands 60", 72", or 84" available upon request. Please specify optional lengths when ordering.

2" & 2-1/2" Faux						
Wand Length	Bind Length					
12"	12" to 24"					
20"	24-1/8" to 36"					
24"	36-1/8" to 48"					
36"	48-1/8" to 72"					
48"	72-1/8" to 96"					

LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" Faux								
Blind Width	# of Ladders	# of routes						
10-1/2" to 12-1/2"	2	2						
12-5/8" to 18"	2	2						
18-1/8" to 21-1/2"	2	2						
21-5/8" to 33-1-/2"	3	2						
33-5/8" to 45-1/2"	4	2						
45-5/8" to 57-1/2"	5	4						
57-5/8" to 69-1/2"	6	4						
69-5/8" to 81-1/2"	7	4						
81-5/8" to 96"	8	4						

**Routes are positioned approximately 2 1/2" from the end of the slat for blinds less than 12 1/2" wide, 3" from the end of the slat for blinds less than 18 1/8" wide, and 4 3/4" from the end of the slat for all others.

BOTTOMRAIL - CORDLESS LIFT & LOCK™

- A 2" deep by 1" tall faux bottomrail is standard
- Bottom rail colors are pre- selected. Color matched to slat color.
 Hardware override is not available
- Color cordinated end caps



STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised. Add in HR+BR for total.

• Headrail+Bottomrail = 2-1/2

2" Faux						
Blind Height	Stack Height					
48"	5"					
72"	7-1/2"					
84"	9-1/4"					

PLUS	+ 2-1/2"

2-1/2" Faux		
Blind Height	Stack Height	
48"	4"	
72"	6-1/4"	
84"	7-1/2"	

PLUS	+ 2-1/2"

SQUARE FOOTAGE SPECIFICATIONS 2" FAUX 2-1/2" FAUX TO: 36 42 48 54 60 66 72 TO: 42 48 54 60 66 72 78 84 90 HEIGHT TO: HEIGHT TO: 30 30 9 10 11 13 14 15 16 18 19 20 11 12 14 15 17 18 20 21 23 24 6 8 | 9 | 10 | 11 | 13 | 14 | 15 | 16 | 18 | 19 | 20 6 8 9 11 12 14 15 17 18 20 21 23 1 6 7 36 6 36 8 8 9 11 12 14 16 18 19 21 23 25 26 28 42 42 8 9 12 14 16 18 20 22 24 26 28 30 32 48 8 9 11 48 14 16 18 20 23 25 27 29 32 34 36 54 11 12 54 9 61 10 12 14 15 18 20 23 25 28 31 33 36 38 N/A 61 13 15 17 19 22 25 28 30 33 36 39 N/A N/A 14 16 18 21 24 27 30 33 37 40 N/A N/A N/A 66 66 11 73 12 73 20 23 26 29 33 36 39 N/A N/A N/A N/A 17 78 78 13 15 84 84 Max Square Footage 40 Max Square Footage 31