

# Product Information Guide

## SHADESENSE

ALTERNATIVE WOOD BLINDS

**HunterDouglas**   
Architectural

# PRODUCT SPECIFICATIONS

## FEATURES

- Cordless Operation
- Wand Tilt - Left Side Only
- Low Profile PVC Headrail (Steel reinforced over 60" wide)


## NO CHARGE OPTIONS

- 2-1/2" Crescent Valance
- Hold-Down Brackets (Plastic)
- Center Supports included
- Continuous Valance
- Spacer Blocks (3/8")

## BOTTOM RAIL SIZE: 2" X 3/4"



Bottom Rail



End Cap

## SIZE SPECIFICATIONS

Minimum Width	18"
Maximum Width	96"
Minimum Height	18"
Maximum Height	84"

\*Blinds are built with a height tolerance, therefore extra slats may rest on the bottom rail.

## VALANCE ORDERING


Outside Mount	1" Added to valance, measured inside returns
Inside Mount	-1/8" (no returns)
Max Un-Spliced	102"
Max Spliced	168"

**NOTE:** Valances are cut to measure inside miter to ensure the most accurate fit when installed over the headrail or window frame


## STANDARD RETURNS

Inside Mount	1/2"
Outside Mount	3"


## 2-1/2" CRESCENT VALANCE



Mitered Corner







Corner Cap




Valance Clip

- Height: 2-1/2" Depth: 3/8"
- Standard with blind
- Returns are available with miter cuts that attach with hidden connectors or straight cuts that attach with visible corner caps
- Attaches with hidden, adjustable valance clip



## INSTALLATION BRACKETS

Blind Width	Box Brackets	Support Brackets*
Below 30"	2	0
30" - 48"	2	1
38-1/8" - 72"	2	2
72-1/8" - 84"	2	3
72-1/8" - 84"	2	3
84-1/8" - 96"	2	4



\* Support brackets are evenly spaced along length of headrail


## FINISHED DIMENSIONS

	Inside Mount	Outside Mount
Headrail	-1/2"	-1/2"
Blind Width	-1/2"	0"
Valance	-1/8"	+1"


*Do NOT make any deductions from your measurements*

# PRODUCT SPECIFICATIONS


## MOUNTING DEPTH & REQUIREMENTS




Headrail  
Protrudes  
See "X"  
measurement  
in chart



Headrail  
Flush  
See "Y"  
measurement  
in chart



Valance  
Flush  
See "Z"  
measurement  
in chart



Headrail		Headrail Projects (X)	Headrail Flush (Y)	Valance Flush (Z)
Height	Depth			
1-1/2"	2-3/8"	3/4"	2-1/2"	3-1/2"

### STACKING CHART

Blind Height	Stack Height
24"	3-3/4"
36"	4-5/8"
42"	5"
48"	5-1/4"
54"	5-3/4"
60"	6"
66"	6-1/2"
72"	6-3/4"
84"	7-1/2"

• Height includes headrail

### LADDER PLACEMENT CHART

Blind Width (Net)	Number of Ladders	
	Gravel, Pecan Pie and Walnut Grove	Lily, Greek Villa and Textured Lily
18" - 24"	2	2
24-1/8" - 36"	3	3
36-1/8" - 48"	4	4
48-1/8" - 54"	5	5
54-1/8" - 60"	6	5
60-1/8" - 66"	5	6
66-1/8" - 72"	6	6
72-1/8" - 78"	6	7
78-1/8" - 84"	8	7
84-1/8" - 96"	8	8

**NOTE:** Since this product has varying ladder spacing between colors, the spacing may differ slightly from color to color.

### WAND SIZING

Blind length less than or equal to 72":	24" Wand
Blind length greater than 72"	36" Wand
If blind width < 36" AND blind length > 72":	36" Wand (2-piece)

## Cordless Faux Wood Blinds – 2" & 2-1/2"

### NO CHARGE OPTIONS

- 3" Modern Valance
- 3" Crescent Valance
- Controls (L or R)
- Hold Down Brackets - not available on 2-1/2" cordless lift & lock
- Tile Cut-Out - available with cordless lift & lock only
- Spacer Blocks (3/8" & 3/4")
- Extension Brackets (Long & Short)
- Wand Tilt Only
- Optional Wand Lengths
- 2 on 1 Headrail - available on cordless lift & lock only (price each blind separately)
- Side by Side\*

\*Guaranteed within 1/4" when requested at the time of order.

SIZE SPECIFICATIONS	Cordless XL	Cordless Lift & Lock™
Minimum Width - Center Tilt (Tilt only, No lift ) Minimum Width (Net) Maximum Width (One Blind) Minimum Height Maximum Height Maximum Width 2 on 1 Headrail Maximum Continuous Valance Width (Not Spliced)	<b>2" &amp; 2 - 1/2" Blinds</b>	
	8" - 11-7/8"	N/A
	12"	10-1/2"
	96"	96"
	12"	12"
	96"	84"
	N/A	120"
	102"	
2" Blinds - Max Area / Square Footage 2-1/2" Blinds Max Area / Square Footage	Cordless XL	Cordless Lift & Lock™
	49 sq/ft	40 sq/ft
	39 sq/ft	31 sq/ft

## Cordless Faux Wood Blinds – 2"

### NO CHARGE OPTIONS

- 3" Modern Valance
- 3" Crescent Valance
- Controls (L or R)
- Hold Down Brackets - not available on 2-1/2" cordless lift & lock
- Tile Cut-Out - available with cordless lift & lock only
- Spacer Blocks (3/8" and 3/4")
- Extension Brackets (Long & Short)
- Wand Tilt Only
- Optional Wand Lengths
- 2 on 1 Headrail - available on cordless lift & lock only (price each blind separately)
- Side by Side\*

\*Guaranteed within 1/4" when requested at the time of order.

SIZE SPECIFICATIONS	2" Cordless XL	2" Cordless Lift & Lock™	
Minimum Width - Center Tilt (Tilt only, No lift )	8" - 11-7/8"	N/A	
Minimum Width (Net)	12"	10-1/2"	
Maximum Width (One Blind)	96"	96"	
Minimum Height	12"	12"	
Maximum Height	96"	84"	
Max. AREA (SQ/FT)	49 sq/ft	40 sq/ft	
Maximum Width 2 on 1 Headrail	N/A	120"	
Maximum Continuous Valance Width (Not Spliced)		102"	

## Cordless Faux Wood Blinds – 2"

### NO CHARGE OPTIONS

- Controls (L or R)
- Hold Down Brackets - not available on 2-1/2" cordless lift & lock
- Tile Cut-Out - available with cordless lift & lock only
- Spacer Blocks (3/8" and 3/4")
- Extension Brackets (Long & Short)
- Wand Tilt Only
- Optional Wand Lengths
- 2 on 1 Headrail - available on cordless lift & lock only (price each blind separately)
- Side by Side\*

\*Guaranteed within 1/4" when requested at the time of order.

SIZE SPECIFICATIONS	2" Cordless XL	2" Cordless Lift & Lock™	
Minimum Width - Center Tilt (Tilt only, No lift )	8" - 11-7/8"	N/A	
Minimum Width (Net)	12"	10-1/2"	
Maximum Width (One Blind)	96"	96"	
Minimum Height	12"	12"	
Maximum Height	96"	84"	
Max. AREA (SQ/FT)	49 sq/ft	40 sq/ft	
Maximum Width 2 on 1 Headrail	N/A	120"	
Maximum Continuous Valance Width (Not Spliced)		102"	

# VALANCE AND VALANCE RETURN INFORMATION AND SPECIFICATIONS

## VALANCE ORDERING

Outside Mount	1" Added to valance, measured inside returns
Inside Mount	-1/8" (no returns)
Max Un-Spliced	102"
Max Spliced	168"* (Min 2 Splices)
Notes:	
• Valances are cut to measure inside miter to ensure the most accurate fit when installed over the headrail or window frame.	

## RETURN LENGTHS

Inside Mount Blind		3" Valance Standard Decorative • Crescent • Modern		4-1/2" Modern Valance		Outside Mount Blind		3" Valance Standard Decorative • Crescent • Modern		4-1/2" Modern Valance	
		Minimum	Maximum	Minimum	Maximum			Standard (Min. Recommended)	Maximum	Standard (Min. Recommended)	Maximum
Cordless XL	2" Faux	1/2"	6"	3/4"	6"	Cordless XL	2" Faux	3"	6"	3-1/4"	6"
	2-1/2" Faux*	3/4"	6"	3/4"	6"		2-1/2" Faux*	3-5/8"	6"	3-5/8"	6"
Cordless Lift & Lock™	2" Faux	1/2"	6"	3/4"	6"	Cordless Lift & Lock™	2" Faux	3"	6"	3-1/4"	6"
	2-1/2" Faux	1/2"	6"	3/4"	6"		2-1/2" Faux	3-3/8"	6"	3-5/8"	6"

\*All valance profiles will be notched for better clearance. Please refer to Cordless XL Control Charts for an example of how valance is notched.

- 4-1/2" Modern Valance cannot be installed inside the window frame. Returns must be selected for all inside mount blinds.
- All valance profiles utilize magnetic valance clips. The magnetic valance clips have a projection adjustment feature. By pulling the clips outward, they can provide an additional 1/4" projection.


## ADJUSTED RETURN LENGTHS WITH SPACER BLOCKS & EXTENSION BRACKETS

3/8" Spacer Blocks (Small)	3-3/8"
3/4" Spacer Blocks (Large)	3-3/4"
3-7/8" Extension Brackets (Short)	4-1/4"
5-7/8" Extension Brackets (Long)	6-1/4"

Notes:

- \*3" Return Lengths are factory adjusted when extension brackets or (1 set of) spacer blocks are ordered.

## CUSTOM VALANCE RETURNS & RETURNS - MEASURED & CUT FROM THE INSIDE:



## KEYSTONE VALANCE OPTION

### Keystones

Designed to cover splices in oversized valances. Use as a decorative look over any blind.

### Valances under 102"

A color matched Keystone may be ordered with a valance. The valance will come assembled with the Keystone position in the center of valance.


### Valances over 102"

A color matched Keystone will be included at no charge. Will require assembly.

Notes:

The addition of a keystone will not affect the overall width of the valance.

The color of the keystone will match valance.



Order Configuration		How Valance Will Be Produced
RETURN LENGTH OVERRIDE	IB	1" Wider than ordered size
	OB	1" Wider than ordered size ( no change from standard)
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact
CONTINUOUS	IB	Valance will be exact size of continuous valance measurement
	OB	Inside return to return valance will be exact ordered width
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact
CONTINUOUS with RETURN LENGTH OVERRIDE	IB	1" Wider than ordered size
	OB	Inside return to return valance will be exact ordered width
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact

## PRODUCT SPECIFICATIONS

FEATURES	2"	2-1/2"
# of Colors	30	13
Headrail Size	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"
Headrail Gauge	.024	.024
Bracket Style	Box	Box
Bottomrail - <b>Cordless XL</b>	Trapezoid	Trapezoid
Bottomrail - <b>Cordless Lift &amp; Lock™</b>	Vinyl	Vinyl
Ladder Space	44 mm	54 mm
Wand Tilt	Yes	Yes
Standard Decorative Valance	Yes – 3"	Yes – 3"
Crescent Valance (Optional)	Yes – 3"	Yes – 3"
Modern Valance (Optional)	Yes – 3"	Yes – 3"
Modern Valance (Optional)	Yes – 4-1/2"	Yes – 4-1/2"
Valance Return Lengths (standard for outside mounts)	3"	3-3/8"
Adjustable Valance Attachment System	Yes	Yes
Headrail End Stiffener	Yes	Yes
Warranty ( <i>Tilt motor systems are warranted for 5 years</i> )	Limited Lifetime	Limited Lifetime
Flame Resistant – NFPA #701 (2" & 2-1/2" Whites/ Neutrals & 2" Premium Grains I)	Yes	Yes

OPTIONS AND UPGRADES	2"	2-1/2"
Cordless XL	Yes	Yes
Cordless Lift & Lock™	Yes	Yes
* 2 On 1 Headrail <b>not available</b> with Cordless XL	Yes	Yes
Crescent Valance Option	Yes	Yes
Modern Valance Option	Yes	Yes
Keystone Valance Option	Yes	Yes
CONTROL/MOUNTING OPTIONS	2"	2-1/2"
Wand – Alternative Lengths (single blind)	Yes	Yes
Tilt Control Position – Cordless XL	L or R Under 12" net - <b>center tilt only</b>	L or R Under 12" net - <b>center tilt only</b>
Tilt Control Position – Cordless Lift & Lock™ (single blind)	L or R	L or R
Tile Cut-out(s) - <b>not available</b> with Cordless or Cordless Lift & Lock™	Yes	Yes
Spacer Blocks (3/8" and 3/4" Depths)	Yes	3/8" Standard
Extension Brackets (Short & Long)	Yes	Yes
Hold-down Brackets - <b>not available</b> with 2-1/2" Cordless Lift & Lock	Yes	Yes

2 on 1 Lift & Lock™ with Wand Tilt	Width (NET)	LEFT BLIND	Right Blind
		WAND TILT	WAND TILT
	10-1/2" to 12-3/8"	C (only)	C (only)
	12-1/2" or more	L or R	L or R

### FOOTNOTES (FEATURES & SPECIFICATIONS)

\* There will be a 1/2" maximum light gap between multiple blinds on 1 headrail.



## SIZE SPECIFICATIONS

<b>Cordless XL</b>	<b>2"</b>	<b>2-1/2"</b>
Minimum Width (Net)	8" - 11-7/8" (Tilt Only No Lift) 12"	
Maximum Width (One blind)	96"	
Minimum Height	12"	
Maximum Height	96"	
Maximum AREA (SQ/FT)	49 sq/ft	39 sq/ft
Maximum Width 2 on 1 Headrail	N/A	
Maximum Continuous Valance Width (not spliced)	102"	

<b>CORDLESS LIFT &amp; LOCK™</b>	<b>2"</b>	<b>2-1/2"</b>
Minimum Width (Net)	10-1/2"	
Maximum Width (One blind)	96"	
Minimum Height	12"	
Maximum Height	84"	
Maximum AREA (SQ/FT)	40 sq/ft	31 sq/ft
Maximum Width 2 on 1 Headrail	120"	
Maximum Continuous Valance Width (not spliced)	102"	

## FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

<b>Inside (IB) Mount</b>	
Headrail width <sup>1</sup>	- 3/4"
Blind width	- 1/2"
Blind height	ordered height
Valance	- 1/8"
<b>Outside (OB) Mount</b>	
Headrail width <sup>1</sup>	- 1/4"
Blind width	ordered width
Blind height	ordered height
Valance	+ 1"
<b>2 on 1 Headrail</b>	
Gap between panels	Approx. 1/4" - 1/2"

## MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

<b>Inside (IB) Mount</b>	
Minimum mounting depth: <b>2"</b>	1-1/8"
Minimum mounting depth: <b>2-1/2"</b>	1-1/4"
Minimum mounting depth, flush mount - <b>2" Slat:</b>	3-1/2"
Minimum mounting depth, flush mount - <b>2-1/2" Slat:</b>	3-3/4"
<b>Outside (OB) Mount</b>	
Minimum flat vertical surface:	1-3/4"

### FOOTNOTE

1 The headrail width has a 1/4" deduction on outside mounts and 3/4" deduction on inside mounts to accommodate the installation brackets.


# CONTROL CHARTS – CORDLESS XL

## TILT WAND

- Plastic tilt wand is **color - coordinated** with slats

2" & 2-1/2" Faux	
Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"
48"	72 1/8" to 96"

No additional wand sizes available.




## BOTTOMRAIL

- 2" Trapezoid bottom rails are standard on faux blinds with Cordless XL

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).

Trapezoid Bottomrail



## LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" Faux		
Blind Width	# of Ladders	# of Routes
8" to 22"	2	2
22-1/8" to 34"	3	*2
34-1/8" to 40"	4	*2
40-1/8" to 46"	4	4
46-1/8" to 58"	5	4
58-1/8" to 70"	6	*4
70-1/8" to 82"	7	*4
82-1/8" to 96"	8	4

The chart shows the end routes and the tilter route position based on the NET width of the headrail. The tilter route is from the end of the headrail.

Blind Width	End Routes	Tilter Route
8" to 11-7/8"	2-1/2"	Centered
12" to 13-7/8"	2-1/2"	1-1/4"
14" to 16"	3"	1-1/4"
16-1/8" to 20"	4-1/2"	1-1/2"
21-1/8" to 96"	5"	1-1/2"

2-1/2" Faux		
Blind Width	# of Ladders	# of Routes
8" to 22"	2	2
22-1/8" to 34"	3	*2
34-1/8" to 40"	4	*2
40-1/8" to 46"	4	4
46-1/8" to 58"	5	4
58-1/8" to 70"	6	*4
70-1/8" to 82"	7	*4
82-1/8" to 96"	8	4

Blind Width	End Routes	Tilter Route
8" to 11-7/8"	2-1/2"	Centered
12" to 13-7/8"	2-1/2"	1-1/4"
14" to 16"	3"	1-1/4"
16-1/8" to 20"	4-1/2"	1-1/2"
20-1/8" to 96"	5"	1-1/2"

tilter route is from the end of the headrail

\*For the ranges between 30.125" and 40", add the same quantity of lift cords as ladders when the drop is 70" or greater.

## STACK-UP-CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is


2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"
84"	9-1/4"
96"	10-7/8"

PLUS	+ 2-1/2"
------	----------

2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"
84"	7-1/2"
96"	9"

PLUS	+ 2-1/2"
------	----------

## VALANCE



- All valance profiles ordered over 2-1/2" Cordless XL will be notched for better clearance.

## SQUARE FOOTAGE SPECIFICATIONS

### 2" FAUX

WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78	84	90	96
HEIGHT TO:	5	6	7	8	9	10	11	13	14	15	16	18	19	20
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20
36	6	7	8	9	11	12	14	15	17	18	20	21	23	24
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28
48	8	9	11	12	14	16	18	20	22	24	26	28	30	32
54	9	11	12	14	16	18	20	23	25	27	29	32	34	36
61	10	12	14	15	18	20	23	25	28	31	33	36	38	41
66	11	13	15	17	19	22	25	28	30	33	36	39	41	44
73	12	14	16	18	21	24	27	30	33	37	40	43	46	49
78	13	15	17	20	23	26	29	33	36	39	42	46	49	N/A
84	14	16	19	21	25	28	32	35	39	42	46	49	N/A	N/A
90	15	18	20	23	26	30	34	38	41	45	49	N/A	N/A	N/A
96	16	19	21	24	28	32	36	40	44	48	N/A	N/A	N/A	N/A

Max Square Footage 49

### 2-1/2" FAUX

WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78	84	90	96
HEIGHT TO:	5	6	7	8	9	10	11	13	14	15	16	18	19	20
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20
36	6	7	8	9	11	12	14	15	17	18	20	21	23	24
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28
48	8	9	11	12	14	16	18	20	22	24	26	28	30	32
54	9	11	12	14	16	18	20	23	25	27	29	32	34	36
61	10	12	14	15	18	20	23	25	28	31	33	36	38	N/A
66	11	13	15	17	19	22	25	28	30	33	36	39	N/A	N/A
73	12	14	16	18	21	24	27	30	33	37	N/A	N/A	N/A	N/A
78	13	15	17	20	23	26	29	33	36	39	N/A	N/A	N/A	N/A
84	14	16	19	21	25	28	32	35	39	N/A	N/A	N/A	N/A	N/A
90	15	18	20	23	26	30	34	38	N/A	N/A	N/A	N/A	N/A	N/A
96	16	19	21	24	28	32	36	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Max Square Footage 39

# CONTROL CHARTS – CORDLESS

## TILT WAND

- Tilt wands are **color - coordinated** with slats
- Tilt Length Override (**Optional**) - specify length when ordering



Color wands up to 48" long. Clear wands 60", 72", or 84" available upon request. Please specify optional lengths when ordering.

2" & 2-1/2" Faux	
Wand Length	Blind Length
12"	12" to 24"
20"	24-1/8" to 36"
24"	36-1/8" to 48"
36"	48-1/8" to 72"
48"	72-1/8" to 96"

## LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" Faux		
# of Routes	# of Ladders	# of Routes
18" to 24"	2	2
24-1/8" to 36"	3	2
36-1/8" to 48"	4	4
48-1/8" to 60"	5	4
60-1/8" to 72"	6	4
72-1/8" to 78"	7	4

\*\*Routes are positioned approximately 6" from the end of the slat for all blinds

## BOTTOMRAIL

- 2" **Trapezoid** bottomrails are standard on faux wood blinds with **cordless lift**

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).

Trapezoid Bottomrail



## STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"

PLUS + 2-1/2"

2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"

PLUS + 2-1/2"

## SQUARE FOOTAGE SPECIFICATIONS

### 2" FAUX

WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78
HEIGHT TO:											
30	5	6	7	8	9	10	11	13	14	15	16
36	6	7	8	9	11	12	14	15	17	18	20
42	7	8	9	11	12	14	16	18	19	21	23
48	8	9	11	12	14	16	18	20	22	24	26
54	9	11	12	14	16	18	20	23	25	27	29
61	10	12	14	15	18	20	23	25	28	31	33
66	11	13	15	17	19	22	25	28	30	33	36
73	12	14	16	18	21	24	27	30	33	37	40

Max Square Footage 40

### 2-1/2" FAUX

WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78
HEIGHT TO:											
30	5	6	7	8	9	10	11	13	14	15	16
36	6	7	8	9	11	12	14	15	17	18	20
42	7	8	9	11	12	14	16	18	19	21	23
48	8	9	11	12	14	16	18	20	22	24	26
54	9	11	12	14	16	18	20	23	25	27	29
61	10	12	14	15	18	20	23	25	28	31	33
66	11	13	15	17	19	22	25	28	30	33	36
73	12	14	16	18	21	24	27	30	33	N/A	N/A

Max Square Footage 36

# CONTROL CHARTS – CORDLESS LIFT & LOCK SYSTEM

## TILT WAND

- Tilt wands are **color-coordinated** with slats
- Tilt Length Override (**Optional**) – specify length when ordering



Color wands up to 48" long. Clear wands 60", 72", or 84" available upon request. Please specify optional lengths when ordering.

2" & 2-1/2" Faux	
Wand Length	Blind Length
12"	12" to 24"
20"	24-1/8" to 36"
24"	36-1/8" to 48"
36"	48-1/8" to 72"
48"	72-1/8" to 96"

## LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" Faux		
Blind Width	# of Ladders	# of routes
10-1/2" to 12-1/2"	2	2
12-5/8" to 18"	2	2
18-1/8" to 21-1/2"	2	2
21-5/8" to 33-1-1/2"	3	2
33-5/8" to 45-1/2"	4	2
45-5/8" to 57-1/2"	5	4
57-5/8" to 69-1/2"	6	4
69-5/8" to 81-1/2"	7	4
81-5/8" to 96"	8	4

\*\*Routes are positioned approximately 2 1/2" from the end of the slat for blinds less than 12 1/2" wide, 3" from the end of the slat for blinds less than 18 1/8" wide, and 4 3/4" from the end of the slat for all others.

## BOTTOMRAIL – CORDLESS LIFT & LOCK™

- A **2" deep by 1" tall faux bottomrail** is standard
- Bottom rail colors are *pre-selected*. Color matched to slat color. Hardware override is not available
- Color coordinated end caps



## STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- Headrail+Bottomrail = 2-1/2"

2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"
84"	9-1/4"

PLUS + 2-1/2"

2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"
84"	7-1/2"

PLUS + 2-1/2"

## SQUARE FOOTAGE SPECIFICATIONS

### 2" FAUX

WIDTH		24	28	32	36	42	48	54	60	66	72	78	84	90	96
TO:															
HEIGHT															
TO:															
30		5	6	7	8	9	10	11	13	14	15	16	18	19	20
36		6	7	8	9	11	12	14	15	17	18	20	21	23	1
42		7	8	9	11	12	14	16	18	19	21	23	25	26	28
48		8	9	11	12	14	16	18	20	22	24	26	28	30	32
54		9	11	12	14	16	18	20	23	25	27	29	32	34	36
61		10	12	14	15	18	20	23	25	28	31	33	36	38	N/A
66		11	13	15	17	19	22	25	28	30	33	36	39	N/A	N/A
73		12	14	16	18	21	24	27	30	33	37	40	N/A	N/A	N/A
78		13	15	17	20	23	26	29	33	36	39	N/A	N/A	N/A	N/A
84		14	16	19	21	25	28	32	35	39	N/A	N/A	N/A	N/A	N/A

Max Square Footage 40

### 2-1/2" FAUX

WIDTH		24	28	32	36	42	48	54	60	66	72	78	84	90	96
TO:															
HEIGHT															
TO:															
30		5	6	7	8	9	10	11	13	14	15	16	18	19	20
36		6	7	8	9	11	12	14	15	17	18	20	21	23	24
42		7	8	9	11	12	14	16	18	19	21	23	25	26	28
48		8	9	11	12	14	16	18	20	22	24	26	28	30	N/A
54		9	11	12	14	16	18	20	23	25	27	29	N/A	N/A	N/A
61		10	12	14	15	18	20	23	25	28	N/A	N/A	N/A	N/A	N/A
66		11	13	15	17	19	22	25	28	30	N/A	N/A	N/A	N/A	N/A
73		12	14	16	18	21	24	27	30	N/A	N/A	N/A	N/A	N/A	N/A
78		13	15	17	20	23	26	29	N/A	N/A	N/A	N/A	N/A	N/A	N/A
84		14	16	19	21	25	28	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Max Square Footage 31